

**New Centerville Summer Tractor Pulls**  
**May 7, June 4, July 23-Raindate August**  
**Weight Classes**

<b>3,500</b>	3 mph	3.5 mph		
<b>4,500</b>	3 mph	3.5 mph	5.5 mph	10 mph
<b>5,500</b>	3 mph	3.5 mph	5.5 mph	10 mph
<b>6,500</b>	3 mph	3.5 mph	5.5 mph	10 mph
<b>7,500</b>	3 mph	3.5 mph	5.5 mph	10 mph
<b>8,500</b>	3 mph	3.5 mph	5.5 mph	10 mph
<b>9,500</b>	6 mph	12 mph		
<b>11,500</b>	6 mph	12 mph		
<b>13,500</b>	6 mph	12 mph		
<b>15,500</b>	6 mph	12 mph		

## General Safety

1. No riders on tractors. Drivers only on tractors.
2. Tractor must meet the approval of tec committee.
3. Tractor must have original shields & guards in place.
4. Driver must be 12 years old or older unless approved by tec committee.
5. Safe height of tractor front end from the ground is the flagman's discretion.
6. Driver must obey flagman's signals at all times.
7. track officials hold right to stop a driver if tractor is being operated in unsafe manner.
8. Driver will remain seated at all times. No jumping or leaning over back of seat.
9. Any jerking of sled or aggressive driving on or off the track results in disqualification of driver.
10. Only officials and one puller allowed on track.
11. No alcoholic beverages of any kind permitted.
12. Tractors must remain in park, neutral or shut off, hands in air, while being hooked/unhooked.

## 12 MPH.

1. No double cut tires. Top cut tires permitted.
2. No aluminum wheels on REAR.
3. Speed limit is 12 mph.
4. 352 square inch tire size limit (i.e., 20.8 x 38); refer to firestone tire chart.
5. Any tractor over 3,000 RPM must have side shields and transmission blanket.
6. Wheelie bar highly recommended. Must be strong enough to hold the weight of tractor with 4"x4" or larger skid pads.

## 10 MPH.

1. 300 square inch tire size limit for 5500 and 6500 (i.e., 18.4 x 38); refer to firestone tire chart.
2. 380 square inch tire size limit for 7500 (i.e., 20.8 x 38); refer to firestone tire chart.
3. All general rules apply.
4. Speed limit is 10 mph.
5. Any tractor over 3,000 RPM must have side shields, transmission blanket, and steel flywheel.
6. Kill switch required.
7. Wheelie bars required, Must be strong enough to hold the weight of tractor with 4"x4" or larger skid pads.
8. Must be 18 or older.
9. Any cut tire allowed.
10. If running alcohol, driver must wear full fire suit.

## Pull conduct

1. Each driver has 50' to decide to re-pull.
2. First puller has the option to come back in third position (driver must decide at the end of first hook).
3. If on their first pull, the driver is disqualified, and their re-pull will be forfeited.
4. Track officials have the option to re-pull 1st puller.
5. Driver to remain with their tractor while in line, failure to do so will forfeit their hook.
6. Pull must be started with a tight chain.
7. 4-wheel drives may pull, but the front wheels must be in neutral, no assist to power front wheels.
8. Judging will be on best distance & track officials make the final decision.
9. All tractors will be checked for illegal modifications & safety.
10. Unsportsmanlike conduct will result in disqualification of tractor & driver for the day.
11. All protests are to be made to track officials only.
12. If there's a protest, officials will decide if it's legitimate, if so, tractor will be disqualified.
13. Judges will decide what class each tractor is to pull in.
14. Tractor must stay within marked boundaries.

## Hitch and weights

1. There must be a 3" or larger hole in clevis or drawbar. Hitch must have clear access.
2. Hook must hang, not lay on hitch. Must meet the approval of tec committee.
3. Driver must provide a 3/4" pin or larger to adapt to clevis or hitch of tractor.
4. No floating hitches.
5. Hitches are not to exceed 20" from ground.
6. Hitch must not be attached above the center of rear axle & a minimum of 18" from center of axle.
7. Rear weights can't exceed 12" past back tire. Weight cannot block the hitch.
8. No bracket may extend forward more than 11 feet from center of rear axle.
9. Weights must be secured in place, any weights or parts lost while pulling disqualifies driver.
10. Tractors/weights cannot be altered in any way while on the track.

## 6.0 MPH.

1. No double cut tires. Top cut tires ONLY permitted.
2. No aluminum wheels.
3. Speed limit is 6 mph.
4. All general rules apply.
4. 300 square inch tire size limit (i.e., 18.4 x 38); refer to firestone tire chart

## 3.5 MPH.

1. No double cut tires. Top cut tires permitted.
2. No aluminum wheels on REAR.
3. Driver can shift.
4. Speed limit is 3.5 mph.
5. 200 square inch tire size limit for 4500 & 5500 (i.e., 14.9 x 38); refer to firestone tire chart.
6. 252 square inch tire size limit for 6500 (i.e., 16.9 x 38); refer to firestone tire chart.
7. 300 square inch tire size limit for 7500 & 8500; refer to firestone tire chart.
8. All general rules apply.

## 5.5 MPH.

1. No double cut tires. Top cut tires permitted.
2. No aluminum wheels on REAR.
3. Driver can shift.
4. Speed limit is 5.5 mph.
5. 300 square inch tire size limit for 4500-6500 (i.e., 18.4 x 38); refer to firestone tire chart.
6. 380 square inch tire size limit for 7500-8500 (i.e., 20.8 x 38); refer to firestone tire chart.
7. All general rules apply.

## Factory stock.

1. Must be factory tractor.
2. No modifications of any kind.
3. Allowed weight bar.
4. Allowed straight pipe on exhaust.
5. Aftermarket parts are allowed must be factory made.
6. No cut tires.
9. No tractor can pull in class under shipping weight of year and make of the tractor.
10. Speed limit of 3 mph.
11. Tractor must have factory style air cleaner.
12. Tire size can only be one size over factory size.
13. Must have factory style hitch.
16. Tractor may be dyno'd at any time.
17. All general rules apply.
19. All tractors are subject to inspection.